


PALLET RACKING PROTECTORS



PRS
PRS
PRS Pallet
Racking
Solutions
Everything, in its place

PALLET RACKING PROTECTORS

Look after your staff, your stock and your pallet racking. We supply and install a wide selection of post protectors, row protectors, safety barriers and bollards. This increases the life span of your pallet racking, lowers repair cost and creates a safer working environment for staff and visitors. We offer a range to suit your racking type and configuration.

Steel Post Protectors

Specifications	Key features
H400mm x D310mm x W160mm	Reduce damage caused by impact loads and extend the life of the frame
	Wraps around the post providing full protection, essential for the safety and durability of the racking
	Powder coated steel finish resists rust and scratches
	Accommodates low beams
	4 holes for screw anchors

Steel Rail Frame Protectors

Specifications	Key features
Used in conjunction with Post Protectors these can be used for single or double rows. 1, 2, or 3 rails can be installed per pair of post protectors.	Ideal for areas of high forklift traffic
Heavy Duty Channel Steel	Powder coated steel finish resists rust and scratches



Frame Protectors


Specifications	Key features
Single frame: H600mm x L1100mm Double frame: H600mm x L2100mm	Prevent forklift damage to end frames
	Protects your single or double pallet racking rows
	Powder coated steel finish resists rust and scratches
	Pre-drilled holes for screw anchors

Plastic Post Protectors

Specifications	Key features
H900mm x W70mm	Suitable for very narrow aisles and narrow beams
	Attaches at any height
	Cost effective and easily replaced if damaged by forklifts or palletised products
	Can be used mid row with little impact on operating space

Corner Protectors

Specifications	Key features
H400mm x D150mm x W150mm	Ideal for locations with limited working space and high traffic volume
	Protects the corners of the racking from damage caused by collisions
	Anchored on both sides of the upright using 4 bolt connection
	Powder coated steel finish resists rust and scratches



PALLET RACKING PROTECTORS

Bollards

Specifications	Key features
H1050mm x W200mm	Bollards protect against collisions, block vehicle access and increase site safety
	Powder coated steel finish resists rust and scratches
	4 bolt connection

Safety Barriers

Specifications	Key features
<p>Pedestrian Barrier: Size options: H600mm x length to fit. Lightweight steel</p> <p>Forklift Barrier: Size options: H600mm x length to fit. Heavy duty steel</p>	Segregate zones between pedestrians and other traffic
	High visibility
	Gates available
	Quick and easy installation
	Sections can be easily replaced if damaged
	Designed to absorb the impact and reduce the chance of 'shock' to the forklift driver

Retroflexion Loading Gate

Specifications	Key features
H2200mm x D17000mm x L1650mm	Allow pallets to be moved to and from mezzanine floors and dock areas safely, eliminating the risk of falling
	Side barrier panels and a double-sided gate which pivots, allowing access to only one side at a time
	Powder coated steel finish resists rust and scratches



Bollards



Safety Barriers



Retroflexion Loading Gate



Everything, in its place

Contact us for more information and pricing:
www.prs.co.nz | 09 239 1601 | sales@prs.co.nz